Cautions

## 速能 化工 貿易有限公司物質安全資

ULTRA ENERGY ADHESIVE TRADING CO. LTD.

香港九龍灣常悅道 20 號環球工商大廈 10 樓 9 室 Room 9, 10/F. International Plaza, 20 Sheung Yuet Road, Kowloon Bay, H.K. Tel: 852-2751 8880 Fax: 852-2795 1625 Web Site: www.uea.com.hk E-mail: info@uea.com.hk



产品名称	name G823 Usage 用途		鞋用,箱包專用膠				
Physical description	on 物性			Chen	minal contents 化学成份		
Appearance 外观	Appearance 外观 黄色粘稠液體		環己烷		15 - 20		
Odor ′(味	刺	刺激性气味		丁酮		25 - 35	
Boiling point 沸点	. 60	60°C ⋅ 120°C				10 - 29	
Conditions to Avo 应避免之状况	d Keep away from flame 远离火源			CR		10 - 20	
		xidizing agents	zing agents		樹脂		
Health hazards an	d first aid 健康危	<b>喜及急救措施</b>		71 11			
Health hazards 健康危害							
Eye contact 眼睛接触	May cau	May cause imitation 引起刺激		Immediately flush eyes with large amounts of water for at least 15 minute medical attention promptly. 定即用大量清水冲洗服部至少15分钟,然后这受医生治疗		for at least 15 minutes.5 第至少15分钟,然后迅速	
Skin contact 皮肤接触	May cau	May cause imitation 引起刺激		Remove contaminated clothing & or shoes. Wash thoroughly with plenty of soar water. Seek medical attention promptly. 脱掉沾有化学品的衣服和鞋子,以大肥皂水清洗,然后迅速接受医生治疗			
Inhalation 吸入		May cause headache,dizziness,vomit and drowsiness. 引起头痛、晕眩、呕吐、困倦		Take patient into the fresh air,Perform artificial respiration. Seek medical attention promptly. 股掉沾有化学品的衣服和鞋子,以大量肥皂水清洗,然后迅速接受医生治疗			
Ingestion 食人		May cause vomit, breathing difficulty, headache. 引起呕吐、呼吸困难、头痛		Do not induce vomiting.Keepat rest.Get prompt medical attention. 勿能吐,保持体息状态,及时进行医护			
Chronic effects 慢性效应		Nervous breakdown 神经系统障碍,迟缓		Note to physician:No specific antidote.Treat syeat symptomatical & supportively. 提醒医生:没有特殊的解药,须按症状进行治疗			
Singns & symptoms 迹象及症状	Headach irritatio	Headache,dizziness,vomit and drowsiness and irritation. 头痛,晕眩,呕吐, 困倦、烦躁					
Fire Fighting meas	ures 灭火措施						
Extinguishing media 适用灭火器 Foam and powder extinguisher.For large fires,use 泡沫及粉未灭火剂,对于大火,可用消防水或泡沫				water spray	y,fog or regular foam.		
Fire fighting Use water spray to cool fire exposed surfaces and to 灭火程序 用水喷酒冷却火焰触及的表面,并保护人员安全,员					rsonnel.Shut"fuel"to fine. 源"		
Accidental Release	Measures 泄露处	型方式					
Personal protection 个人注意事項 Wear respirator, rubber gloves, s			oer gloves,goggles	and protect	tive clothing. 戴口罩、橡胶手套、	护目镜及防护衣	
Environmental protection 环境防护 Prevent diffusion		Prevent diffusion. 防	ion. 防止扩散				
Methods for cleani	ng up 清理方式	Cover residues with humid absorbent material,then fill into container by shovel. 以吸湿物质覆盖,再以圆锹装入容器					
PPE 个人防护设备							
Pespiration protect 呼吸防护	ion A						
Hand protection 手部防护							

<b>(S)</b>	Handing and storage 安全处置及储存方法			
Handing 处置	Ensure efficient exhaust ventlation in the working area.Do not use at source ignition.Avoid contact with eyes,skin. 工作区域保持通风良好,远离易燃物质,避免眼睛、皮肤接触			
Storage 储存	Keep in tinghtly closed container & store between 5°C and 40°C. 容器保持密闭,并储存于5°C至40°C			

Do not eat at work and wash hands after working 工作中禁止吃东西和工作后洗手

Factory emergency contact number is 工厂紧急联系电话	Fire alarm 火警: Fire aid 急救:
Full MSDS sheet is located 完整MSDS的位置	